45

Claims:

An information management system comprising a plurality of nodes connected to each other via a network, wherein each of the plurality of nodes comprises:

a storage for storing information to be shared
among the plurality of nodes; and

an update manager for managing an update of the information using an updated minimum unit of the information, the updated minimum unit including an updated portion of the information.

- 2. The information management system according to claim 1, wherein, when an update occurs at the node, the update manager transmits an updated minimum unit of the information to another node.
- 3. The information management system according to claim 1, wherein, when an update occurs at the node, the update manager transmits update information to another node, the update information including identification information identifying an updated minimum unit of the information.
- 4. The information management system according to claim 2, wherein, wh n receiving an updated minimum unit of the

FQ5-494

46

information from another node. the update manager updates a corresponding minimum unit of the information stored in the storage using the updated minimum unit received.

- 5. The information management system according to claim 1, wherein the information comprises a plurality of elements which are hierarchically structured, wherein a minimum element including the updated portion of the information is determined as the updated minimum unit.
- 6. The information management system according to
 10 claim 1, wherein the update manager manages the update of the
 information using an update time at which the update of the
 information occurs,

wherein, when an update occurs at the node, the update manager transmits update information to another node, the update information including the update time.

- 7. The information management system according to claim 6, wherein, when receiving the update information from another node, the update manager updates the information stored in the storage based on the update information received.
- 20 8. The information management system according to claim 7, wher in

the update manager determines wh ther the update

15

20

& THUMPSU

FQ5-494

47

time of the update information received is later than an updated time of the information currently stored in the storage, and when the update time of the update information received is later than an updated time of the information currently stored in the storage, the update manager requests transfer of an updated minimum unit of the information.

- 9. The information management system according to claim 1, wherein, when an update occurs at the node, the update manager transmits an updated minimum unit of the information to another node at a plurality of predetermined times.
- 10. The information management system according to claim 1, wherein, when an update occurs at the node, the update manager transmits update information to another node at a plurality of predetermined times, the update information including identification information identifying an updated minimum unit of the information.
- 11. The information management system according to claim 10, wherein the update manager manages the update of the information using an update time at which the update of the information occurs, the update information further includes the update time.
 - 12. The information management system according to

FQ5-494

48

claim 3, further comprising a control node for controlling communications between the nodes on the network,

the control node comprising:

an information manager for managing the

5 information stored in the storage for each of the nodes;

an update information receiver for receiving an update information from a first node at which an update of the information occurs; and

an update controller for transmitting the update information received from a first node to a second node.

- 13. The information management system according to claim 12, wherein the update controller of the control node transmits the update information received from the first node to the second node at a plurality of predetermined times.
- 14. The information management system according to claim 12, wherein, when the second node receives the update information from the control node, the update manager of the second node updates the information stored in the storage based on the update information received.
- 20 15. The information management system according to claim 14, wherein, in the second node,

the update manager determines whether the update time of the update information received is later than an updated

5

10

15

20

25

49

time of the information currently stored in the storage, and when the update time of the update information received is later than an updated time of the information currently stored in the storage, the update manager uses the 1dentification information to request transfer of an updated minimum unit of the information from the control node.

> 16. The information management system according to claim 6, further comprising a control node for controlling communications between the nodes on the network.

> > the coutrol node comprising:

an information storage for storing the information stored in the storage of each of the nodes;

an information manager for managing the information for each of the nodes and an update time thereof:

a update information receiver for receiving an update information from a first node at which an update of the information occurs; and

an update controller for

selecting a second node having the update time of the information stored therein, which is later than the update time included in the update information received from the first node, and

transmitting the updated minimum unit of the information identified by the identification information included in the updat information r ceived from the first node, to th second Sul pode.

5

10

17. A structured document processing system comprising a network composed of a server device and a plurality of client devices, the server device storing a structured document composed of a plurality of elements which are hierarchically structured, each of the elements being a constituent unit of the structured document, and each of the client devices storing a duplication of the structured document,

the server device comprising:

an update manager for managing an update of the structured document using an updated minimum element of the structured document, the updated minimum element including an updated portion of the structured document.

- 18. The structured document processing system

 15 according to claim 17, wherein the server device further comprises a transmission section, the update manager instructing the transmission section to transmit an updated minimum element of the structured document to a client device when the structured document has been updated.
- 19. The structured document processing system according to claim 17, wherein the server device further comprises a transmission section, the update manager instructing the transmission section to transmit update

5

10

15

20

51

information to a client device when the structured document has been updated, the update information including identification information identifying an updated minimum element of the structured document.

20. The structured document processing system according to claim 17, wherein the update manager manages the update of the structured document using an update time at which the update of the structured document occurs.

wherein when an update occurs at the node, the update manager instructing the transmission section to transmit update information to a client device, the update information including the update time.

- 21. The structured document processing system according to claim 20, wherein, when a client device receives the update information from the server device, the client device updates the structured document stored therein based on the update information received.
- 22. The structured document processing system according to claim 21, wherein each of the client devices comprises:

a comparator for comparing the update time of the update information received is later than an updated time of the structured document currently stored therein; and

5

20

52

a transmission controller for requesting transfer of an updated minimum element of the structured document when the update time of the update information received is later than the updated time of the structured document currently stored therein.

- 23. The structured document processing system according to claim 17, wherein the update manager transmits an updated minimum element of the structured document to a client device at a plurality of predetermined times.
- 24. The structured document processing system according to claim 17, wherein the update manager transmits update information to the client device at a plurality of predetermined times, the update information including identification information identifying an updated minimum element of the structured document.
 - 25. The structured document processing system according to claim 24, wherein the update manager manages the update of the structured document using an update time at which the update of the structured document occurs, the update information further includes the update time.
 - 26. The structured document processing system according to claim 17, further comprising:

15

FQ5-494

53

Sub (X

a gateway server device performing protocol processing between the server device and each of the client devices.

wherein the server device transmits update

information indicating that the structured document is updated
to the gateway server device,

wherein the gateway server device comprises:

an structured document manager for managing the duplication of the structured document stored in the client device;

an update information receiver for receiving update information from the server device; and

an update controller for transmitting the update information received from the server device to the client device.

- 27. The structured document processing system according to claim 26, wherein the update controller transmits the update information received from the server device to the client device at a plurality of predetermined times.
- 28. The structured document processing system according to claim 26, wherein, when a client device receives the update information from the gateway server device, the client device updates the duplication of the structured document stored therein based on th update information

54

received.

5

10

15

20

29. The structured document processing system according to claim 28, wherein each of the client devices comprises:

a comparator for comparing the update time of the update information received is later than an updated time of the structured document currently stored therein; and

a transmission controller for requesting transfer of an updated minimum element of the structured document when the update time of the update information received is later than the updated time of the structured document currently stored therein.

30. The structured document processing system according to claim 17, further comprising:

a gateway server device performing protocol processing between the server device and each of the client devices.

wherein the server device transmits update
information including an update time and the updated minimum
element to the gateway server device.

wherein the gateway server device comprises:

an structured document storage for storing the duplication of the structured document stored in the client device;

15

FQ5-494

55

an structured document manager for managing the duplication of the structured document for the client device and an update time thereof;

ah update information receiver for receiving the update information from the server device; and

an update controller for transmitting the updated minimum element of the structured document to a client device having the update time of the structured document stored therein, which is later than the update time included in the update information received from the server device.

31. An information management method in a system comprising a plurality of nodes connected to each other via a network, the method comprising the steps of:

at each of the plugality of nodes,

- a) storing information to be shared among the plurality of nodes in a storage; and
- b) managing an update of the information using an updated minimum unit of the information, the updated minimum unit including an updated portion of the information.
- 20 32. The information management method according to claim 31, wherein the step (b) comprises the steps of:

 detecting that an update occurs at the node; and

transmitting an updated minimum unit of the information to another node.

FQ5-494

56

Suly C

The information management method according to claim 31, wherein the step (b) comprises the steps of:

detecting that an update occurs at the node; and transmitting update information to another node,

- the update information including identification information identifying an updated minimum unit of the information.
 - 34. The information management method according to claim 32, further comprising the steps of:

at a node receiving an updated minimum unit of the information from another node,

- c) updating a corresponding minimum unit of the information stored in the storage using the updated minimum unit received.
- 35. The information management method according to claim 31, wherein the information comprises a plurality of elements which are hierarchically structured, wherein a minimum element including the updated portion of the information is determined as the updated minimum unit.
- 36. The information management method according to
 20 claim 31, wherein in the step (b), the update of the information
 is managed using an update time at which the update of the
 information occurs,

57

Sub C

10

15

wherein the step (b) comprises the steps of:

detecting that an update occurs at the node; and

transmitting update information to another node,

the update information including the update time.

5 37. The information management method according to claim 36, further comprising the step of:

at a node receiving the update information from another node,

- c) updating the information stored in the storage based on the update information received.
 - 38. The information management method according to claim 37, wherein the step (c) comprises the steps of:

determining whether the update time of the update information received is later than an updated time of the information currently stored in the storage; and

when the update time of the update information received is later than an updated time of the information currently stored in the storage, requesting transfer of an updated minimum unit of the information.

39. The information management method according to claim 31, wherein, when an update occurs at the node, an updated minimum unit of the information is transmitted to another node at a plurality of predetermined times.



5

10

15

58

The information management method according to claim 3/1, wherein, when an update occurs at the node, update information is transmitted to another node at a plurality of predetermined times, the update information including identification information identifying an updated minimum unit of the information.

- The information management method according to claim 40, wherein the update of the information is managed using an update time at which the update of the information occurs, the update information further includes the update time.
- 42. The information management method according to claim 33, wherein the system further comprises a control node for controlling communications between the nodes on the network,

the method further comprising the steps of: at the control node.

- c) managing the information stored in the storage for each of the nodes;
- d) receiving an update information from a first 20 node at which an update of the information occurs; and
 - e) transmitting the update information received from the first node to a second node.



10

15

20

59

d3. The information management method according to claim 42 wherein in the step (e), the update information received from the first node is transmitted to the second node at a plurality of predetermined times.

44. The information management method according to claim 42, further comprising the steps of:

at the second node receiving the update information from the control node,

updating the information stored in the storage based on the update information received.

45. The information management method according to claim 44, further comprising the steps of:

at the second hode.

determining whether the update time of the update information received is later than an updated time of the information currently stored in the storage; and

when the update time of the update information received is later than an updated time of the information currently stored in the storage, using the identification information to request transfer of an updated minimum unit of the information from the control node.

46. The information management method according to claim 36, the system further comprises a control node for

15

20

25

FQ5-494

60

controlling communications between the nodes on the network,
the method further comprising the steps of:
at the control node,

storing the information stored in the storage of each of the nodes in an information storage;

managing the information for each of the nodes and an update time thereof:

receiving an update information from a first node at which an update of the information occurs;

selecting a second node having the update time of the information stored therein, which is later than the update time included in the update information received from the first node; and

information identified by the identification information included in the update information received from the first node, to the second node.

47. A structured document updating method in a network composed of a server device and a plurality of client devices, the server device storing a structured document composed of a plurality of elements which are hierarchically structured, each of the elements being a constituent unit of the structured document, and each of the client devices storing a duplication of the structured document, the method comprising the steps of:

at th server device,

5

10

15

20

61

a) managing an update of the structured document using an updated minimum element of the structured document, the updated minimum element including an updated portion of the structured document; and

b) notifying the client devices on the network that the structured document is updated when a part of the structured document has been changed.

48. The structured document updating method according to claim 47, further comprising the steps of:

at a client device receiving an updated minimum element of the structured document from the server device,

c) updating a corresponding minimum element of the structured document stored therein using the updated minimum element received.

49. The structured document updating method according to claim 47, wherein in the step (a), the update of the information is managed using an update time at which the update of the information occurs,

wherein the step (b) comprises the step of:
transmitting update information to the client
devices, the update information including the update time.

50. The structur d document updating method according to claim 49, further comprising the step of:

62

Sall C

5

10

15

20

at a client device receiving the update information from the server device.

- c) updating the information stored therein based on the update information received.
- 51. The structured document updating method according to claim 50, wherein the step (c) comprises the steps of:

 determining whether the update time of the update information received is later than an updated time of the structured document currently stored therein; and

when the update time of the update information received is later than an updated time of the structured document currently stored therein, requesting transfer of an updated minimum element of the structured document.

- 52. The structured document updating method according to claim 47, wherein an updated minimum unit of the structured document is transmitted to the client devices at a plurality of predetermined times.
- 53. The structured document updating method according to claim 47, wherein update information is transmitted to the client devices at a plurality of predetermined times, the update information including identification information identifying an updated minimum unit of the structured document.

MPS0

FQ5-494

5

10

15

20

63

54. The structured document updating method according to claim 53, wherein the update of the information is managed using an update time at which the update of the structured document occurs, the update information further includes the update time.

55. The structured document updating method according to claim 47, wherein the network further comprises a gateway server device performing protocol processing between the server device and each of the client devices,

the method further comprising the steps of: at the gateway server device,

- c) managing the structured document stored in each of the client devices;
- d) receiving an update information from the server device; and
- e) transmitting the update information received from the server device to a client device.
- 56. The structured document updating method according to claim 55, wherein in the step (e), the update information received from the server device is transmitted to the client device at a plurality of predetermined times.
 - 57. The structured document updating method according to claim 55, further comprising the steps of:

10

15

20

FQ5-494

64

at the client device receiving the update information from the gateway server device,

updating the structured document stored therein based on the update information received.

58. The structured document updating system according to claim 57, further comprising the steps of:

at the client device,

determining whether the update time of the update information received is later than an updated time of the structured document currently stored therein; and

when the update time of the update information received is later than an updated time of the structured document currently stored therein, using the identification information to request transfer of an updated minimum unit of the structured document from the gateway server device.

59. The structured document updating system according to claim 47, wherein the network further comprises a gateway server device performing protocol processing between the server device and each of the client devices.

the method further comprising the steps of: at the gateway server device,

storing the structured document stored in each of the cli nt devices in an information storage;

managing the structured document for each of the

65

Sub P

5

10

15

client devices and an update time thereof;

receiving an update information from the server device at which an update of the structured document occurs; selecting a client device having the update time

of the structured document stored therein, which is later than the update time included in the update information received from the server device; and

transmitting the updated minimum unit of the structured document identified by the identification information included in the update information received from the server device, to the selected client device.

- 60. A storage medium storing a computer program for performing information management in a system comprising a plurality of nodes connected to each other via a network, the computer program at each of the plurality of nodes, comprising the steps of:
- a) storing information to be shared among the plurality of nodes in a storage; and
- b) managing an update of the information using an updated minimum unit of the information, the updated minimum unit including an updated portion of the information.
 - 61. A storage medium storing a computer program for updating a structured document in a network composed of a server device and a plurality of client devices, the server device

5

10

66

storing a structured document composed of a plurality of elements which are hierarchically structured, each of the elements being a constituent unit of the structured document, and each of the client devices storing a duplication of the structured document, the computer program at the server device, comprising the steps of:

- a) managing an update of the structured document using an updated minimum element of the structured document, the updated minimum element including an updated portion of the structured document; and
- b) notifying the client devices on the network that the structured document is updated when a part of the structured document has been changed.